





PRODUCT NUMBER SEE SHEET 2



Copyright FCI.

spec ref		dr	Rainbow Zhan	2015/02/03	projection MM	size	A3	scale	3:2	
tolerance std ASME Y14.5		eng	Vicking Liu	2015/11/22		product family	PowerBlade+		ecn no	-
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/11/22			rel level	Released		
surface ✓	linear	0.X	±0.50		www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3	rev A	
		0.XX	±0.25							
		0.XXX	±0.10		108S + 4HDP		dwg no		10106138-4027101	
ASME Y14.5	angular	0°	±2°		VT STB RECEPTACLE		STATUS:Released		Printed: Nov 23, 2015	

A

B

C

D

A

B

C




D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10124315
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.



Copyright FCI.

dr	Rainbow Zhan	2015/02/03	projection 	MM 	size	A3	scale	1:1
eng	Vicking Liu	2015/11/22			ecn no	-		
chr	Fancy Zhang	2015/11/22			product family	PowerBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/11/22						
		title 108S + 4HDP VT STB RECEPTACLE		dwg no 10106138-4027101	rev A			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			